

CPE 323 Introduction to Embedded Computer Systems: An Introduction

Electrical and Computer Engineering
University of Alabama in Huntsville

Aleksandar Milenkovic

milenka@ece.uah.edu

<http://www.ece.uah.edu/~milenka>

Outline

- Administration
- Technology Trends
- Embedded systems
 - What are they?
 - Where do we find them?
 - Structure and Organization
 - Software Architectures

Administration

- Syllabus
 - Instructor, lab instructors, office hours
 - Textbook & other references
 - Grading policy
 - Important dates
 - Course outline
- Prerequisites
 - Digital systems: number representation, combinational (gates), and sequential logic (latches, flip-flops)
 - Computer architecture and organization
 - C/C++ Programming
- Embedded Systems Laboratory
 - Located in ENG 106
 - Lab policies
 - Lab assistants

How to Succeed in CPE 323 / CPE 323 DOs (1 – 5)

- **1. Work hard, have fun 😊 ... because**
 - It's better to have fun than not to have fun ... (have a can do, will do, done attitude)
 - Many students landed jobs thanks to skill gained in this course
 - Important course for your senior design
- **2. Manage your time well**
 - Lectures, labs, quizzes, ...
- **3. Attend classes & make maximum use of class time**
 - Skim through lecture notes in advance
 - Have clean notes downloaded if you want to take notes
- **4. Ask questions when in doubt**
 - *It's better to be a fool for 5 minutes of your life by asking a question than to be a fool for the rest of your life by not knowing the answer*
- **5. Use instructor's office hours to get extra help**
 - I may offer non-mandatory recitation sessions

How to Succeed in CPE 323 / DOs (6 – 10)

- **6. Make the best from your time in laboratory**
 - Learning by doing; Come prepared (read tutorials, watch extra videos)
 - I hear and I forget, I see and I remember, I do and I understand
- **7. Make the best from your homeworks**
 - Learning by doing; Problems similar to exams (perfect tool for exam preparation)
 - Start with your homework as soon as it is posted
 - I hear and I forget, I see and I remember, I do and I understand
- **8. Study in groups; Collaboration=YES, Cheating=NO**
 - Exams tell me whether you were practicing the latter
- **9. Learn how to be independent**
 - Read textbook, user manuals, reference manuals
 - Important skill to get right information on time
- **10. Make the best of this class**
 - Develop real-world problem solving skills
 - Become proficient in embedded systems (they are everywhere)
 - Your professional career is what matters

CPE 325 DOs

- **1. Read the lab tutorial in advance; test all demo examples**
- **2. Understand assignment(s): a well-defined problem is a half-solved one**
- **3. Develop a plan for solving the problem**
- **4. Give a try to design solution (pen & paper)**
- **5. Write the code**
- **6. Document your code**
- **7. Test your solution (try different inputs, corner cases)**
- **8. Demonstrate your program executing to TA**
- **9. Be proactive: give brief description to demonstrate your solution & good understanding**
- **10. Answer questions when asked**
 - You will be asked to explain specifics of your solution
 - You will not get FULL credits (if any) if you turn in your code without demonstration

How to fail in CPE 323: an incomplete list

- **1. Do not bother attending the classes**
- **2. Annoy your classmates (talk in classes, watch movies, sleep, leave in middle of class, ...)**
- **3. Do not bother studying (reading slides, readers, ...)**
- **4. Start your assignments one hour before the due date**
- **5. Submit my solutions of homeworks from prior years as your work**
- **6. Take code from your friends and submit as your lab solution**
- **7. Do not bother to take practice quizzes**
- **8. Setup hidden cheating communication channels during quizzes and exams**
- **9. Do not bother adjusting your plan, ignore warning signs**

History of Computing

Log price

Mainframe

Mini

WS

PC

Notebook


Handheld

Ubiquitous

Time

Ongoing: laptop => handheld

1 billion phones in 2007 => one for every human




Internet of Things

- The Internet of Things (IoT) is a scenario in which objects, animals or people are provided with unique identifiers and the ability to transfer data over a network without requiring human-to-human or human-to-computer interaction. IoT has evolved from the convergence of wireless technologies, micro-electromechanical systems (MEMS) and the Internet.




Computing (R)Evolution




Intel 4004

Y 1971
 C 108KHz
 T 2,300
 Th 10 μ m
 A 4-bit
 AM 640B




Intel 20286

Y 1982
 C 6 MHz
 T 134 K
 Th 1.5 μ m
 A 16-bit
 AM 16 MB




Intel Pentium

Y 1993
 C 60 MHz
 T 3.1 M
 Th 0.8 μ m
 A 32-bit
 AM 4 GB



Intel Pentium 4

Y 2001
 C 1.4 GHz
 T 55 M
 Th 0.18 μ m
 A 32-bit
 AM 4 GB




Intel Sandy Bridge

Y 2011
 C 3.8 GHz
 T 1 B
 Th 0.032 μ m (32 nm)
 A 64-bit
 AM 2⁶⁴ B

- Technology trends
 - 2x #transistors on a chip every 18-24 months
 - 4x memory capacity every 3-4 years
 - 2x disk capacity every year
- Applications: ever-increasing demands for faster and cheaper computing

Performance Trends



- VAX : 25%/year 1978 to 1986
- RISC + x86: 52%/year 1986 to 2002
- RISC + x86: 20%/year 2002 to present

What are Embedded Computer Systems

- An embedded system is a special-purpose computer system designed to perform one or a few dedicated functions
- Main Characteristics
 - Usually embedded as a part of a complete device that serves a more general purpose (e.g., in car or in MP3 player)
 - Usually heavily optimized for the specific tasks, reducing cost of the product or reducing the size or increasing the reliability and performance
 - Often with real-time computing constraints that must be met, for reasons such as safety (e.g., anti-block systems) and usability (e.g., video consoles)
 - Range from low-end 4-bit microcontrollers to high-performance multiple processor cores on a single chip
 - Software written for embedded systems is often called firmware, and is usually stored in read-only memory or Flash memory chips rather than a disk drive

Early History of Embedded Systems

- Apollo Guidance Computer
 - One of the first publicly recognized embedded systems
 - Developed by Charles Stark Draper at the MIT Instrumentation Laboratory
- Autonetics D-17 (1961)
 - Guidance computer for the Minuteman missile
- Intel 4004 (1971), first microprocessor
 - Used in calculators
- Automobiles used microprocessor-based engine controllers (1970's)
 - Control fuel/air mixture, engine timing, etc.
 - Multiple modes of operation: warm-up, cruise, hill climbing, etc.
 - Provides lower emissions, better fuel efficiency

Modern Embedded Systems

- Modern Microcontrollers: (mid 1980s)
 - Microprocessors that include I/O devices and on-chip memory on a chip
- Digital Signal Processors (DSP):
 - Microprocessors optimized for digital signal processing
- Typical embedded processor word sizes: 8-bit, 16-bit, 32-bit

Embedded Systems Applications


- Telecommunication equipment: telephone switches, voice and data network bridges and routers
- Consumer electronics: MP3 players, DVD players, digital cameras, GPS receivers, game consoles, ...
- Home appliances: microwave ovens, dishwashers, washers, ...
- Transportation systems: aviation electronics (avionics), vehicle electronics (to increase efficiency and safety, reduce pollution, ...)
- Medical electronics: health monitors, medical imaging (PET, SPECT, CT, MRI)

Future Applications

- Deeply embedded into the environment
Wireless Sensor Networks
- Applications
 - Health Monitoring
 - Smart Transportation Systems
 - Smart Roads
 - Habitat Monitoring
 - Military
 - ...
- Wireless Sensor Networks @ UAHuntsville
 - TinyHMS and SVEDECs

Ubiquitous Health Monitoring

- mHealth portal: <http://portal.mhealth.uah.edu>



SVEDECs



Traffic Monitoring Using TMotes

Vehicle Detection (speed, size)

Traffic patterns
Road conditions
Bridge health


Base station

Internet



Embedded Systems Organization

- 4 major components: CPU, Memory, System Bus, and I/O Peripherals




CPUs

- Unlike the personal and server computer markets the embedded processors are fairly diverse featuring
 - Von Neumann as well as Harvard architectures
 - RISC as well as non-RISC and VLIW;
 - Word lengths from 4-bit to 64-bits and beyond (mainly in DSP processors) although the most typical remain 8/16-bit.
 - A large number of different variants and shapes, many of which are also manufactured by several different companies
 - Common architectures are: 65816, 65C02, 68HC08, 68HC11, 68k, 8051, ARM, AVR, AVR32, Blackfin, C167, Coldfire, COP8, eZ8, eZ80, FR-V, H8, HT48, M16C, M32C, MIPS, MSP430, PIC, PowerPC, R8C, SHARC, ST6, SuperH, TLCS-47, TLCS-870, TLCS-900, Tricore, V850, x86, XE8000, Z80, etc.
- Typically embedded CPUs are integrated together with memories and I/O peripherals on a single chip to reduce the cost and size and increase reliability

I/O Peripherals



- Embedded Systems talk with the outside world via peripherals, such as:
 - Serial Communication Interfaces (SCI): RS-232, RS-422, RS-485 etc
 - Synchronous Serial Communication Interface: I2C, JTAG, SPI, SSC and ESSI
 - Universal Serial Bus (USB)
 - Networks: Ethernet, Controller Area Network, LonWorks, etc
 - Timers: PLL(s), Capture/Compare and Time Processing Units
 - Discrete IO: aka General Purpose Input/Output (GPIO)
 - Analog to Digital/Digital to Analog (ADC/DAC)

A Microcontroller-Based System: An Example



Keypad

Data Flow





Backup Slides

Von Neumann Architecture

- Processing Elements
 - sequential execution
- Read/Write Memory
 - linear array of fixed size cells
 - Data and instruction store
- I/O unit
- Address/Data/Control bus


Von Neumann Architecture

Von Neumann Architecture



Von Neumann vs. Harvard

Von Neumann Architecture



Harvard Architecture

